



Recognized laboratory physico-chemical testing - Type B 01/12/2020 - 30/11/2021

SFAKION str. 50, 12131 PERISTERI - ATHENS GREECE tel. +30 210-5910620 fax. +30 210-5311580 e-mail: info@multichromlab.com

**CERTIFICATE OF ANALYSIS no:** 95632

Date of issue: 25/11/2021 PHONE: 25510-71271

**CUSTOMER: KYKLOPAS ELAIOTRIVEIO ARGYRI KELIDI S.A.** 

Date of analysis (from): 25/11/2021

**MULTICHROM.LAB CODE No:** 95632

**COMMODITY ACCORDING TO** CUSTOMER: EXTRA VIRGIN OLIVE OIL

(to): 25/11/2021

**RECEIVING DATE: 25/11/2021** 

**SAMPLE CONDITION: NORMAL** 

**SAMPLING BY: CUSTOMER** 

SEALS: None DATA: No 8

## **RESULTS**

Determination	Method	Unit	Result	Limit <sup>1</sup>
Free fatty acid content (as oleic acid)	2568/91	%	0,31	≤ 0,80
K Coefficients	2568/91	-	-	-
K268		-	0,142	≤ 0,22
K232		-	2,318	≤ 2,50
DK		-	-0,001	≤ 0,01
Peroxide Value	2568/91	meqO2/kg	9,1	≤20,0

**Dimitrios Salivaras Laboratory Supervisor** 

Emmanuel Salivaras, M.Sc. Laboratory General Manager



